

Catalogue

Polfloor

Contact us:



Polfloor.

polfloor2015@gmail.com

Website:

www.polfloor2015.com

Patryk 07852887887

Grzegorz: 07878326430

32 Forest Business Park

Argall Avenue E107FB

London. Opening time:

Mon-Fri: 9 a.m - 6 p.m

Sat-Sun: by appointment



Stylish wood from Polish forests

Polfloor

Expert in wooden flooring, solid and engineer floor.
Fitting available.

If you are looking for calm and discreet atmosphere or maybe something more avant-garde and stylish start with our Wooden Floor.

Solid Parquet is a solid form of the wood. Solid Parquet Floor, no matter what type, gives your room warmth, beauty and luxurious look.

The simple, beautiful patterns of Solid Parquet, extreme durability, easy of assembling, and good prices make parquet floor the most famous choice for many people.

We also can offer You a multilayer plank, they are easy and quick to install. They don't need sanding, polishing, varnishing and they look very stylish.

Additional information - should be aware that:

- Hue of hardwood floors changes when exposed to light;
 - Wood reacts to changes in temperature and humidity varying shapes and dimensions. These changes can be minimize maintaining constant environmental conditions (T ~ 20st.C, humidity ~ 60%);
 - Wood is a natural material, two wood elements will never be identical;
 - Varnish / oil protective functions for the wood. In case of intensive exploitation of the floor can be destroyed.
- Wood flooring the most "doesn't likes" sandy shoes and high heels.

We can also offer You a natural oak staircases
(ready elements)




*** Parquet ***

Acacia (Akacja)

Parquet/ Solid wood floor elements

Characteristics: auric-mullato tone of wood

Cechy charakterystyczne: Złoto-oliwkowy odcień drewna



Parquet [mm]



Acacia, varnishing parquet, rustic class

Akacja, parkiet lakierowany, klasa rustical

Birch (Brzoza)


Parquet/ Solid wood floor elements

Characteristics: straw-coloured tone of wood

Cechy charakterystyczne: Słomkowy odcień drewna

Parkiet / Parquet	Mozaika / Mosaic

[mm]



Birch, varnishing parquet, rustic class

Brzoza, parkiet lakierowany, klasa rustical

Beech (Buk)

Parquet/ Solid wood floor elements

Characteristics: characteristic „speckles”

Cechy charakterystyczne: Charakterystyczne „cetki”

Parkiet / Parquet	Mozaika / Mosaic

[mm]




Steamed Beech (Buk parzony)


Parquet/ Solid wood floor elements

Characteristics: reddish tone of Wood

Cechy charakterystyczne: Czerwonawy odcień drewna




[mm]



Steamed beech, varnishing parquet, first class

Buk parzony, parkiet lakierowany, klasa prima



Steamed beech, varnishing parquet, rustic class


Buk parzony, parkiet lakierowany, klasa rustical

Cherry (Czereśnia)


Parquet/ Solid wood floor elements

Characteristics: European exotic Wood

Cechy charakterystyczne: Europejski egzotyk



Parquet [mm]



Cherry, varnishing parquet, first class

Czereśnia, klasa prima, parkiet lakierowany

Dab (Oak)

Parquet/ Solid wood floor elements

Characteristics: characteristic „speckles”

Cechy charakterystyczne: Charakterystyczne „cetki”

Lite elementy podłogowe / Solid wood floor elements		
Deska / Plank	Parkiet / Parquet	Mozaika / Mosaic
Warstwowe elementy podłogowe / Multilayer floors		

mm]



Oak




Oak, varnishing parquet, first class

Dąb, parkiet lakierowany, klasa prima




Oak, varnishing parquet, natural

Dąb, klasa natural, parkiet lakierowany



Oak, varnishing parquet, rustic

Dąb, klasa rustical, parkiet lakierowany




Oak, varnishing parquet, retro class

Dąb, klasa retro, parkiet lakierowany




Oak, varnishing parquet, palace floor

Parkiet pałacowy, dąb lakierowany



Oak, varnishing parquet, rustic class

Dab, klasa natural, parkiet lakierowany



Oak with phase, oil, French herringbone, natural class

Jodelka francuska, dąb, olejowany, fazowany, klasa natural



Oak, oil with phase



Parkiet olejowany, dąb lity, fazowany

Red Oak (Dąb czerwony)


Parquet/ Solid wood floor elements

Characteristics: reddish tone of grain

Cechy charakterystyczne: Różowawy odcień sło

Parkiet / Parquet	Mozaiki / Mosaics
	

[mm]




Red Oak

Hornbeam (Grab)

Parquet/ Solid wood floor elements

Characteristics: silvery tone

Cechy charakterystyczne Srebrzysty odcień drewna



parquet [mm]




Hornbeam, varnishing parquet, first class
Grab, parkiet lakierowany, klasa prima

Maple (Jawor)

Parquet/ Solid wood floor elements

Characteristics: satin gloss of wood

Cechy charakterystyczne: Atłasowy połysk drewna






Ash (Jesion)


Parquet/ Solid wood floor elements

Characteristics: decorative grain texture

Cechy charakterystyczne: Dekoracyjny rysunek


Deski / Plank	Parkiet / Parquet	Mozaiki / Mosaics
		

[mm]



Ash (light), varnishing parquet, first class

Jesion jasny, klasa prima



Ash (light), varnishing parquet, rustic class


Jesion jasny, klasa rustical

Elm Wiaz


Parquet/ Solid wood floor elements

Characteristics: diverse colouring

Cechy charakterystyczne: Zróżnicowana kolorystyka drewna



parquet [mm]




Elm, varnishing parquet, non-class

Doussie

Parquet/ Solid wood floor elements

Characteristics: reddish tone of Wood

Cechy charakterystyczne: Czerwonawy odcień drewna



[mm]



Doussie, varnishing parquet, first class

Iroko

Parquet/ Solid wood floor elements

Characteristics: honey tone of wood

Cechy charakterystyczne: Miodowy odcień drewna

Deska / Plank	Parkiet / Parquet

[mm]



*** *Mix parquet* ***



Ash with exotic cubes



Oak with ash

Parkiet / Parquet

22

240-500

60/65/70

- Acacia
- Birch
- Beech
- Steamed beech
- Cherry
- Oak
- Red oak
- Ash
- Maple
- Hornbeam
- Doussie
- Iroko

15

290-500

60/65/70

- Oak
- Ash
- Iroko

Dimensions in tables: thickness x width x length [mm] PARQUET

Oak

grubość [mm]	szerokość [mm]	długość [mm]
22	60/70	240/300/350/360/400/500
15	60/70	240/300/360/420/490/600

Red oak

grubość [mm]	szerokość [mm]	długość [mm]
22	60	300/360

Ash

grubość [mm]	szerokość [mm]	długość [mm]
22	60	240/300/360/500
15	60/70	240/300/360/400/490

Beech

grubość [mm]	szerokość [mm]	długość [mm]
22	60	300

Steamed beech

grubość [mm]	szerokość [mm]	długość [mm]
22	70	mix

Hornbeam

grubość [mm]	szerokość [mm]	długość [mm]
22	60	300

Birch

grubość [mm]	szerokość [mm]	długość [mm]
22	60	300/360

Maple

grubość [mm]	szerokość [mm]	długość [mm]
22	60	300/360

Acaccia

grubość [mm]	szerokość [mm]	długość [mm]
22	60	300

Cherry

grubość [mm]	szerokość [mm]	długość [mm]
22	60	300

Elm

grubość [mm]	szerokość [mm]	długość [mm]
22	60	300

Doussie

grubość [mm]	szerokość [mm]	długość [mm]
22	60/65/70	mix
15	70	mix

Iroko

grubość [mm]	szerokość [mm]	długość [mm]
15	65	mix

*** Plank ***

Solid wood floor elements




Merbau

Solid plank

Characteristics: maroon tone of Wood

Cechy charakterystyczne: Bordowy odcień drewna




Wenge

Solid plank

Characteristics: black-brown tone of Wood

Cechy charakterystyczne: Brazowo-czarny odcień drewna



*** Solid plank ***

Hardwood floorboards which are finished as You need/want. You can choose color, grade of wire-brushed, it can be phased or not.

thick [mm]	wide [mm]	long [mm]
15/23	90	300-1200 or 1200
23	140	500-1200 or 1200

We can also offer You multilayer plank, which can be also finished as You need.

thick [mm]	wide [mm]	long [mm]
14	170	1200



Oak. White/Extra white



Oak. Mahogany colour/ Ebony colour



Oak. Natural oil




Oak. Mahogany colour/ Rosewood colour



Oak. White oak/ Walnut colour



Oak. Silver colour




Oak. Walnut colour


*** Multilayer floor ***

CHARACTERISTICS:


- lacquered plank
- 4-side phase - thick 0,7 [mm]
- dimension: 1200x140x13,5 [mm]



Oak with phase. Multilayer plank, oil.



Oak with phase. Antique with blue tone



Oak with phase. Gray



Oak without phase, lamello, lacquered



Oak without phase, lacquered



Iroko without phase, lacquered

*** Mosaic parquet ***

Sometimes Mosaic Parquets were common only in exclusively houses of high class of French. Nowadays this decorative floor is standard in many places: home and business. Mosaic parquet is made up of small staves which can be laid in various patterns. We offer you wide variety of already completed Mosaic Parquet floors patterns including: squares, herringbone, parallel, the end grain and industrial parquet (mosaics slats laid on edge).

The classification of our Mosaic Parquets:

- for beech, birch and ash:

Prima: almost unitary wood colouring, without any discolorations, sapwood and knots;

Standard: natural discolorations, allowed little (to grace:-)) knots, without sapwood;

Rustic: natural discolorations, accented differential and natural structure of grain;

- for oak:

Prima: unitary wood colouring, without any discolorations, sapwood and knots;

Standard: natural discolorations, allowed “tongue” of sapwood (which makes a view of bright floor), accented wood structure, without knots;

Rustic: natural discolorations, knots, accented differential and natural structure of grain, no sapwood;

Checked pattern

Solid wood floor elements

Dimension - plate: 480 long x 480 wide x 8 thick [mm]

Dimension - lamella 120 long x 24 wide x 8 thick [mm] each.

Available wood species: Oak, Red oak, Ash, Beech, Birch



Ash, rustic class



Oak, rustic class

Herringbone pattern

Dimension - plate: 550 long x 370 wide x 8 thick [mm]

Dimension - lamella: 120 long x 24 wide x 8 thick [mm]

Available wood species: Oak



Brick pattern

Dimension - plate: 480 long x 480 wide x 8 thick [mm]

Dimension - lamella: 120 x 24 x 8 [mm].

Available wood species: Oak



Industrial pattern

Dimension- plate: 480 long x 120 wide x 24 thick [mm]

Dimension - lamella: 120 x 8/16 x 24 [mm]


Available wood species: Oak (8 i 16 mm), Ash (8 i 16 mm), Beech (8 mm), Birch (8 mm).

Dimension - plate: 480 x 120 x 16 [mm]

Dimension - lamella: 120 x 24 x 16 [mm]

Available wood species: Oak, Ash





Oak 8 mm

Smoked oak, 16 mm


Smoked Oak is produced by subjecting specially treated wood chemical. As a result, the wood changes its colour to dark brown / black and becomes more resistant to changes in humidity.

In end grain pattern

Dimension - plate: 430 x 430 x 13 gr. [mm]


Dimension - lamella: 72 x 24 x 13 [mm]

Available wood species: Oak RU



Wood species hardness

The Brinell value is used for indicating differences in the hardness of various wood species. As a rule it can be stated that the higher the Brinell value, the more the hardwood floor can withstand impacts and bumps as well as general wear and tear.



	Hardness	Stability	Weight
Acacia	● ● ● ●	● ● ● ●	● ● ● ●
Birch	● ●	● ● ● ●	● ●
Beech	● ● ● ●	● ●	● ● ●
Steamed Beech	● ● ● ●	● ● ●	● ● ●
Cherry	● ● ●	● ● ● ●	● ● ● ●
Oak	● ● ● ●	● ● ● ●	● ● ● ●
Red Oak	● ● ● ●	● ● ● ●	● ● ● ●
Hornbeam	● ● ● ●	● ●	● ● ● ●
Maple	● ● ●	● ● ● ●	● ●
Ash	● ● ● ●	● ● ● ●	● ● ● ●
Elm	● ● ●	● ● ● ●	● ● ● ●
Cabreuva	● ● ● ● ●	● ● ● ●	● ● ● ● ●
Doussie	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●
Iroko	● ● ● ●	● ● ● ●	● ● ●
Jatoba	● ● ● ● ●	● ● ● ●	● ● ● ● ●
Merbau	● ● ● ●	● ● ● ● ●	● ● ● ● ●
Wenge	● ● ● ●	● ● ● ●	● ● ● ● ●

Polfloor. polfloor2015@gmail.com,
 Owners: Grzegorz: 07878326430 or Patryk: 07852887887
 32 Forest Business Park ,Argall Avenue E10 7FB
 Opening time: Mon- Fri: 9 a.m - 6 p.m
 Sat-Sun: by appointment
www.polfloor2015.com